

# STEEL DOOR

shaft door

double steel door

single steel door



[www.kuncijayamakmurbaliverti.com](http://www.kuncijayamakmurbaliverti.com)

IDEA.



ARCHITECTURAL HARDWARE



QUALITY IS THE KEY







**1. Single Steel Door (Panic Function) with Bar**

- Inside use IDEA Panic Exit Device with Bar (Rimlock)
- Outside use Handle + Key and Door Closer

**2. Single Steel Door (Panic Function) with Bar and 2 Point Bolt**

- Inside use IDEA Panic Exit Device with 2 Point Bolt
- Outside use Handle + Key and Door Closer

**3. Single Steel Door (Panic Function) with Bar and Mortise Palmo**

- Inside use PALMO Panic Exit Device with Mortise
- Outside use regular Handle and Door Closer


**4. Single Steel Door (Panic Function) with Mortise Lock**

- Inside and Outside use Regular Handle with Panic Mortise Lock and Door Closer


**1 SINGLE STEEL DOOR**




**3 SINGLE STEEL DOOR - PALMO**





**2 SINGLE STEEL DOOR - 2 POINT BOLT**



**4 SINGLE STEEL DOOR - PANIC MORTISE LOCK**








- 1. Inside**
- Active Door use IDEA Panic Exit Device (Rimlock) with bar
  - Passive Door use IDEA Panic Exit Device with 2 point Bolt
- Outside**
- Active Door use Handle + Key and Door Closer
  - Passive Door use only Door Closer
- 2. Inside**
- Active Door use IDEA Panic Exit Device (Rimlock) with Bar
- Outside**
- Active Door use Handle + Key and Door Closer
  - Passive Door use Flush Bolt and Door Closer
- 3. Inside**
- Active Door use PALMO Panic Exit Device (Mortise) with Bar
  - Passive Door use IDEA Panic Exit Device with 2 point Bolt
- Outside**
- Active Door use Regular Handle, Cylinder, and Door Closer
  - Passive Door use only Door Closer

- 4. Inside**
- Active Door use PALMO Panic Exit Device Palmo (Mortise) with Bar
- Outside**
- Active Door use Regular Handle, Cylinder, and Door Closer
  - Passive Door use Flush Bolt and Door Closer
- 5. Inside**
- Active Door use PALMO Panic Exit Device (Mortise) with Bar
  - Passive Door use PALMO Panic Exit Device with 2 point Bolt
- Outside**
- Active Door use Regular Handle, Cylinder, and Door Closer
  - Passive Door use only Door Closer
- 6. Inside**
- Active Door use Regular Handle, Cylinder, and Mortise Lock Panic Function
- Outside**
- Active Door use Regular Handle and Door Closer
  - Passive Door use Flush Bolt and Door Closer





www.kuncijayamakmurbarwerti.com


**1 SINGLE STEEL DOOR**



**SINGLE STEEL DOOR  
NON PANIC**

- Inside use Regular Handle, Mortise for Steel Door (non panic) and Cylinder
- Outside use Regular Handle & Door Closer

**2 DOUBLE STEEL DOOR**




**DOUBLE STEEL DOOR  
NON PANIC**

- Inside : Active Door use Regular Handle, Mortise for Steel Door (non panic), Cylinder & Door Closer
- Outside : • Active Door use Regular Handle and Door Closer
- Passive Door use Door Closer & Flush Bolt



## Panic Bar Steel Door with Rimlock

[Double Entry]




- 1 ISEO IDEA PANIC EXIT DEVICE WITH BAR  
- ISEO Single Point Idea 54111234 A
- 5 STAINLESS STEEL HINGE SUS 304  
- DEKSON ESS - DL 4,5X4X3 mm 288 SSS
- 6 DOOR CLOSER  
- DEKSON DCL 105 NHO (80-120 kg)
- 7 TRIM FOR IDEA PANIC EXIT DEVICE (HANDLE & KEY)  
ISEO Trim External Control:  
- 910110031 (Grey)



## Panic Bar Steel Door with Mortise Lock

[Single Entry]




- 4 ISEO PALMO PANIC EXIT DEVICE WITH BAR  
- ISEO Palmo 8480000037B - 175
- 5 STAINLESS STEEL HINGE SUS 304  
- DEKSON ESS - DL 4,5X4X3 mm 288 SSS
- 6 DOOR CLOSER  
- DEKSON DCL 105 NHO (80-120 kg)
- 9 KNOB  
- DEKSON KNOB ONLY
- 9a ESCUTCHEON  
- DL 1 335
- 10 CYLINDER  
- DEKSON HC50mm



## Non Panic Steel Door

[Double Entry]




- 5 STAINLESS STEEL HINGE SUS 304  
- DEKSON ESS - DL 4,5X4X3 mm 288 SSS
- 6 DOOR CLOSER  
- DEKSON DCL 105 NHO (80-120 kg)
- 9 HANDLE  
ISEO LHSR Curva Ø22mm
- 10 CYLINDER  
ISEO Double Cylinder 78 - 81000E350 (70mm) SN
- 11 MORTISE LOCK NON PANIC FUNCTION  
- DEKSON MTS II DL 8572



## Panic Steel Door

[Single Entry]




- 5 STAINLESS STEEL HINGE SUS 304  
- DEKSON ESS - DL 4,5X4X3 mm 288 SSS
- 6 DOOR CLOSER  
- DEKSON DCL 105 NHO (80-120 kg)
- 9 HANDLE + KNOB SSS  
ISEO LHSR Curva Ø22mm + KNOB
- 10 CYLINDER  
- DEKSON HC50mm
- 11 MORTISE LOCK PANIC FUNCTION  
- DEKSON MTS II DL 8672 PVMC





# SHAFT DOOR - shaft door lock

1



5 STAINLESS STEEL HINGE SUS 304  
+ DEKSON E50 - Di. 4x32 mm 288 835

12 PULL PLATE HANDLE  
+ HIL DEKSON PP 000 535

13 LATCH BOLT  
+ DKS LPS 001P 0000 535



2



5 STAINLESS STEEL HINGE SUS 304  
+ DEKSON E50 - DL 4x32 mm 288 835

12 PULL PLATE HANDLE  
+ HIL DEKSON PP 000 535

14 WINDOW BOLT  
+ DKS 001 50000 535

15 WINDOW BOLT SS with KEY



Shaft Door is a small door panel which to serves the electrical panel, storage cleaning tools, etc. Usually, this shaft door is only a single direction, only one side which is used as the opening or closing the door.

www.kuncijayamakmurbaliwerti.com



**1 ISEO IDEA PANIC EXIT DEVICE WITH BAR AND 2 POINT BOLT**



- ISEO Single Point Idea 941111334 A
- ISEO Single Point Idea 9411083335 (Grey)
- ISEO Base Panic Exit 941400504 (Black)+Bar 945928 (Red)

**2 ISEO IDEA PANIC EXIT DEVICE WITH BAR AND 2 POINT BOLT**



- ISEO 2 Point Idea 943208334 (Grey)
- ISEO 2 Point 943208334 (Black)+Bar 945928 (Red) +Rod 94300205

**3 ISEO EXIT DEVICE WITH BAR - PALMO AND 2 POINT BOLT**



- ISEO Palmo 2 Point Bolt 949000050379
- + Counter L + Relatch + ROD

**4 ISEO PALMO PANIC EXIT DEVICE WITH BAR**



- ISEO Palmo 949000050379 + MTS

**5 STAINLESS STEEL HINGE SUS 304**




- DEKKSON ESS DL 3x2.5x2 mm 2BB SSS
- DEKKSON ESS DL 4x3x2 mm 2BB SSS
- DEKKSON ESS DL 4x3x3 mm 2BB NRP SSS
- DEKKSON ESS DL 4x4x3 mm 2BB SSS
- DEKKSON ESS DL 4,5x4x3 mm 2BB SSS
- DEKKSON ESS DL 5x3x3 mm 4BB NRP SSS

**6 DOOR CLOSER**

- KUPPE Door Closer K100 NHO (75-120 Kg)
- DEKKSON DCL 529 NHO (40-80 Kg)
- DEKKSON DCL 105 NHO (80-120 Kg)



**7 TRIM FOR IDEA PANIC EXIT DEVICE (HANDLE & KEY)**



- ISEO Trim External Control:
- 94011003T (Grey)
  - 94011005T (Black)

**8 FLUSH BOLT**



- DKS FBP 8"
- DKS FB SQ 501-270 mm
- DKS FB SQ 501-370 mm
- KUPPE AF100 (Automatic)
- FB DKS 708 AT

**9 HANDLE + KNOB SSS**




- ISEO LHSR CURVA Ø22mm + KNOB  
KUPPE LHSR 016 Ø22mm + KNOB  
DEKKSON LHSR 016 Ø22mm + KNOB

**HANDLE STAINLESS STEEL**



- ISEO LHSR CURVA Ø22mm  
KUPPE LHSR 016 Ø22mm  
DEKKSON LHSR 016 Ø22mm



- ISEO LHTR CURVA Ø22mm  
KUPPE LHTR 016 Ø22mm  
DEKKSON LHTR 016 Ø22mm



- ISEO KNOB ONLY  
KUPPE KNOB ONLY  
DEKKSON KNOB ONLY


**9a ESCUTHEON D01 SSS**

**10 CYLINDER**

**a. Double Cylinder**



- ISEO Double Cylinder F5 820935359 (70mm) SN
- DEKKSON DC 70mm
- KUPPE DC 70mm
- DEKKSON DC 80mm
- KUPPE DC 80mm




- ISEO Double Cylinder F6
- 810935359 (70mm) SN
  - 810940409 (80mm) SN



- ISEO Double Cylinder R6
- 880935359 (70mm) SN
  - 880940409 (80mm) SN

**b. Half Cylinder**



- DEKKSON HC 40mm
- DEKKSON HC 50mm
- KUPPE HC 50mm

**11 MORTISE LOCK PANIC FUNCTION**



- KUPPE MTS IL 6072 P

- DEKKSON MTS HD DL8672 PANIC

**MORTISE LOCK NON PANIC FUNCTION**



- KUPPE MTS IL 6072 SS

- DEKKSON MTS IL DL 8672

**12 PULL PLATE**

- HDL DEKKSON PP 009 SSS



**13 LATCH BOLT**

- DEKKSON CLW 510Z SN



- DKS LSF D01P 60mm SSS

**14 WINDOW BOLT**

- WB D01 50mm SSS



**15 WINDOW BOLT SS with KEY**



**16 DOOR STOP**

- DS006 SSS



**17 DOOR SELECTOR**

- DEKKSON DSR 300 NA





